


# GENERAL SHAPE

## CHANNELS

### CHANNELS - ROUND FILLET TOES




SL. No.	Section No.	A	B	C	D	R1	R2	R3	Weight kg/m
1	<b>16034</b>	14.20	19.00	1.50	1.50	-	0.75	1.00	0.197
2	<b>15792</b>	16.00	16.00	0.80	0.80	0.40	0.75	0.40	0.100
3	<b>17521</b>	22.60	10.80	1.30	1.20	1.25	-	3.00	0.137
4	<b>17621</b>	27.00	14.00	1.50	1.50	1.60	0.75	3.20	0.200
5	<b>16039</b>	40.50	29.00	2.00	2.00	1.00	0.30	3.00	0.501
6	<b>16040</b>	50.80	19.10	3.20	3.20	4.00	2.50	0.40	0.725
7	<b>16014</b>	50.80	31.75	6.65	4.40	3.25	-	-	1.597
8	<b>16030</b>	63.00	32.00	5.00	5.00	1.00	-	-	1.580
9	<b>16027</b>	63.50	25.40	4.76	4.76	8.00	-	12.76	1.232
10	<b>16036</b>	65.00	35.00	3.00	3.00	1.00	-	1.50	1.043
11	<b>16010</b>	75.00	40.00	5.00	5.00	5.00	-	-	1.986
12	<b>16026</b>	76.00	38.00	5.00	3.00	7.00	-	-	1.617
13	<b>16031</b>	76.20	38.10	5.70	4.00	8.00	-	-	1.943
14	<b>16003</b>	76.20	38.10	7.94	6.35	8.50	4.50	-	2.728
15	<b>16035</b>	85.00	40.00	3.00	3.00	1.00	-	2.00	1.284
16	<b>S6343</b>	88.80	28.50	2.90	2.90	2.10	1.45	5.00	1.067
17	<b>16004</b>	100.00	25.00	2.00	2.00	2.00	-	-	0.792
18	<b>16015</b>	100.00	50.00	1.80	1.80	1.50	-	-	1.061
19	<b>16007</b>	101.60	41.83	6.68	6.68	9.52	-	-	3.205
20	<b>16001</b>	101.60	50.80	7.90	6.40	9.10	-	-	3.746
21	<b>16033</b>	102.00	50.00	8.00	8.00	9.00	-	-	4.111
22	<b>S6581</b>	118.00	20.00	3.00	3.00	-	=	3.40	1.218
23	<b>16011</b>	125.00	55.00	6.50	6.50	6.00	-	-	3.938
24	<b>16038</b>	127.00	70.00	8.00	5.00	6.00	-	-	4.563
25	<b>16020</b>	127.20	47.88	8.05	8.05	9.40	-	-	4.598
26	<b>16006</b>	140.00	50.00	8.00	8.00	6.00	-	-	4.881
27	<b>16005</b>	140.00	70.00	8.00	8.00	6.00	-	-	5.745
28	<b>16021</b>	152.40	51.60	8.10	8.10	11.20	-	-	5.380
29	<b>16012</b>	160.00	79.50	10.00	10.00	1.00	-	-	8.072
30	<b>15737</b>	177.80	58.40	9.98	9.98	11.11	-	-	7.543
31	<b>16041</b>	177.80	63.50	11.11	7.84	2.70	0.40	0.40	7.289
32	<b>27565</b>	177.80	95.25	12.70	12.70	3.17	3.17	15.87	11.455
33	<b>16023</b>	184.00	43.00	3.00	3.00	-	-	-	2.128
34	<b>16042</b>	198.05	23.00	7.45	9.00	3.00	0.40	2.80	5.377
35	<b>16017</b>	203.20	65.00	11.84	11.84	12.70	-	-	10.081
36	<b>16025</b>	224.00	43.00	3.00	3.00	-	-	3.00	2.452
37	<b>16018</b>	250.00	75.00	5.00	5.00	10.00	-	-	5.380
38	<b>16019</b>	254.00	92.87	13.18	13.18	12.90	-	-	14.903
39	<b>16024</b>	254.00	92.87	13.18	13.18	12.90	-	8.00	14.829
40	<b>16028</b>	264.00	43.00	3.00	3.00	-	-	3.00	2.776

# GENERAL SHAPE

## CHANNELS

### CHANNELS - SQUARE FILLET



SL. No.	Section No.	A	B	C	D	Weight kg/m
1	15660	5.50	10.90	1.10	1.10	0.074
2	15601	6.25	10.30	1.30	2.00	0.092
3	15693	6.60	9.50	0.80	0.80	0.052
4	15679	7.50	7.50	0.60	0.60	0.034
5	15666	7.80	6.90	0.49	0.49	0.027
6	15626	8.00	6.00	1.50	1.50	0.069
7	15715	8.00	7.00	0.36	0.36	0.021
8	15602	8.75	9.50	1.20	1.50	0.087
9	15771	8.75	9.50	1.10	1.40	0.081
10	15789	8.75	9.75	1.50	1.50	0.102
11	15635	9.00	8.00	0.57	0.57	0.037
12	15784	9.00	15.00	1.20	1.20	0.118
13	15776	9.30	9.30	0.55	0.55	0.040
14	15778	9.40	9.40	0.90	0.90	0.064
15	15603	9.52	9.52	0.57	0.57	0.042
16	15673	9.52	9.52	0.76	0.76	0.055
17	15702	9.52	9.52	0.95	0.95	0.068
18	15650	9.52	9.52	1.15	1.15	0.081
19	15604	9.52	9.52	1.60	1.60	0.110
20	15672	9.52	12.50	1.65	1.65	0.139
21	15812	10.00	8.00	1.20	1.20	0.076
22	15706	10.00	12.00	2.80	2.80	0.214
23	15717	10.00	12.00	2.80	2.80	0.215
24	15668	11.70	11.70	0.51	0.51	0.047
25	15667	11.80	8.50	0.52	0.52	0.039
26	15622	12.00	9.00	0.62	0.62	0.048
27	15767	12.00	10.00	1.20	1.20	0.096
28	15724	12.00	15.00	1.80	1.80	0.186
29	15749	12.00	20.00	2.00	2.00	0.259
30	15740	12.50	15.00	1.00	1.00	0.109
31	15621	12.70	12.70	0.57	0.57	0.057
32	15674	12.70	12.70	0.85	0.85	0.083
33	15605	12.70	12.70	1.09	1.09	0.105
34	G100126	12.70	12.70	1.397	1.397	0.133
35	15606	12.70	12.70	2.38	2.38	0.213
36	15726	14.00	14.00	1.00	1.00	0.108
37	15681	14.30	18.00	1.20	1.20	0.154
38	15692	14.50	14.50	0.90	0.90	0.101
39	15607	15.00	10.00	1.60	1.60	0.137
40	15630	15.00	12.00	1.10	1.10	0.109
41	15698	15.00	15.00	1.20	1.20	0.138
42	15659	15.00	15.00	2.00	2.00	0.221
43	15796	15.00	18.50	1.80	1.60	0.229
44	15664	15.40	15.40	1.40	1.40	0.164
45	28439	15.87	16.51	2.99	6.35	0.435

# GENERAL SHAPE

## CHANNELS

### CHANNELS - SQUARE FILLET

SL. No.	Section No.	A	B	C	D	Weight kg/m
46	<b>15783</b>	16.00	4.00	1.50	1.50	0.085
47	<b>15696</b>	16.00	16.00	1.20	1.20	0.148
48	<b>15675</b>	16.00	19.00	1.20	1.20	0.167
49	<b>15669</b>	16.80	10.50	0.49	0.49	0.049
50	<b>15782</b>	16.95	9.85	1.20	1.20	0.111
51	<b>15642</b>	17.00	10.50	0.63	0.63	0.062
52	<b>27418</b>	18.00	4.50	2.40	3.20	0.171
53	<b>15629</b>	18.00	12.00	1.10	1.10	0.118
54	<b>15741</b>	19.00	15.00	1.00	1.00	0.127
55	<b>15694</b>	19.00	19.00	1.00	1.00	0.149
56	<b>15619</b>	19.05	12.70	1.25	1.25	0.141
57	<b>15608</b>	19.05	19.05	1.63	1.63	0.237
58	<b>15684</b>	20.00	10.00	1.40	1.40	0.140
59	<b>15747</b>	20.00	20.00	1.00	1.00	0.156
60	<b>15665</b>	20.00	20.00	3.00	3.00	0.438
61	<b>15785</b>	20.30	20.30	2.00	2.00	0.307
62	<b>15811</b>	22.00	6.70	1.20	1.20	0.107
63	<b>15670</b>	22.00	10.00	0.62	0.62	0.069
64	<b>15695</b>	22.00	19.00	1.10	1.10	0.172
65	<b>15712</b>	22.00	20.00	1.10	1.10	0.178
66	<b>15627</b>	22.20	12.70	1.10	1.10	0.135
67	<b>15719</b>	22.40	14.22	1.52	1.52	0.195
68	<b>15643</b>	23.00	10.80	0.68	0.68	0.079
69	<b>15646</b>	23.00	11.00	1.19	1.19	0.136
70	<b>15661</b>	23.00	11.00	1.45	1.45	0.165
71	<b>15662</b>	23.00	11.00	1.62	1.62	0.182
72	<b>15663</b>	23.00	11.00	1.97	1.97	0.218
73	<b>15742</b>	23.00	15.00	1.00	1.00	0.137
74	<b>15678</b>	23.00	23.00	1.10	1.10	0.198
75	<b>15632</b>	24.00	11.00	1.20	1.20	0.141
76	<b>15677</b>	24.00	12.50	1.90	1.90	0.232
77	<b>15700</b>	24.60	4.00	1.10	1.20	0.096
78	<b>15768</b>	24.60	24.60	2.50	2.50	0.464
79	<b>15763</b>	25.00	15.00	5.00	6.00	0.661
80	<b>15733</b>	25.00	20.00	1.10	1.10	0.186
81	<b>15769</b>	25.00	30.00	2.50	2.50	0.540
82	<b>15786</b>	25.00	50.00	2.00	2.00	0.653
83	<b>15718</b>	25.16	19.03	1.40	1.40	0.228
84	<b>15710</b>	25.20	4.10	1.00	1.00	0.085
85	<b>15633</b>	25.40	12.70	1.22	1.22	0.159
86	<b>15634</b>	25.40	12.70	2.00	3.00	0.311
87	<b>15610</b>	25.40	12.70	3.18	3.18	0.381
88	<b>15795</b>	25.00	25.00	3.00	3.00	0.559
89	<b>15793</b>	25.00	41.00	7.00	10.00	1.847
90	<b>15611</b>	25.40	19.05	3.18	3.18	0.491
91	<b>15775</b>	25.40	25.40	1.20	1.20	0.239
92	<b>15612</b>	28.58	25.40	3.00	3.00	0.594
93	<b>15647</b>	30.00	13.00	0.90	0.90	0.130
94	<b>15657</b>	30.00	30.00	3.00	3.00	0.681
95	<b>15810</b>	31.00	6.70	1.20	1.20	0.136

# GENERAL SHAPE

## CHANNELS

### CHANNELS - SQUARE FILLET

SL. No.	Section No.	A	B	C	D	Weight kg/m
96	<b>15618</b>	31.50	19.00	3.00	3.00	0.514
97	<b>15686</b>	31.75	12.70	1.56	1.56	0.228
98	<b>15613</b>	31.75	12.70	3.18	3.18	0.435
99	<b>15685</b>	32.00	3.50	1.20	1.50	0.142
100	<b>28048</b>	33.00	7.00	5.00	5.00	0.499
101	<b>15800</b>	34.00	33.00	1.40	1.40	0.367
102	<b>15648</b>	37.00	15.00	0.85	0.85	0.147
103	<b>15743</b>	38.00	15.00	1.00	1.00	0.178
104	<b>15748</b>	38.00	25.00	3.00	3.00	0.664
105	<b>15649</b>	38.10	12.00	2.50	2.50	0.385
106	<b>15732</b>	38.10	19.05	1.59	1.59	0.313
107	<b>15682</b>	38.10	19.05	2.40	2.40	0.462
108	<b>15614</b>	38.10	19.05	3.22	3.22	0.607
109	<b>15751</b>	38.10	38.10	3.18	3.18	0.926
110	<b>15787</b>	39.00	20.60	2.00	2.00	0.411
111	<b>15739</b>	40.00	20.00	1.10	1.10	0.231
112	<b>15708</b>	40.00	20.00	1.20	1.20	0.251
113	<b>15774</b>	40.00	20.00	1.50	1.50	0.311
114	<b>15697</b>	40.00	20.00	1.80	1.80	0.371
115	<b>15658</b>	40.00	40.00	4.00	4.00	1.210
116	<b>15625</b>	40.00	40.00	5.00	5.00	1.485
117	<b>15801</b>	41.00	10.00	4.00	4.00	0.572
118	<b>15794</b>	42.00	90.00	5.00	5.00	2.862
119	<b>15699</b>	42.50	25.00	2.00	2.00	0.478
120	<b>15744</b>	44.00	15.00	1.00	1.00	0.194
121	<b>15615</b>	44.00	25.40	2.95	2.95	0.708
122	<b>15781</b>	44.00	28.00	1.78	1.78	0.463
123	<b>15620</b>	44.45	25.40	3.18	4.78	0.928
124	<b>15738</b>	45.00	20.00	1.10	1.10	0.246
125	<b>15720</b>	45.00	30.00	3.00	3.00	0.802
126	<b>15713</b>	45.00	37.00	2.00	2.00	0.621
127	<b>15791</b>	45.00	50.00	5.00	5.00	1.822
128	<b>15688</b>	45.00	54.00	2.00	2.00	0.805
129	<b>15745</b>	50.00	15.00	1.00	1.00	0.210
130	<b>15734</b>	50.00	20.00	1.10	1.10	0.260
131	<b>15730</b>	50.00	25.00	1.80	1.80	0.468
132	<b>15637</b>	50.00	40.00	5.00	5.00	1.620
133	<b>15683</b>	50.80	25.40	3.00	3.00	0.773
134	<b>15656</b>	50.80	25.40	4.76	4.76	1.183
135	<b>15701</b>	50.80	25.40	6.59	7.35	1.650
136	<b>15773</b>	50.80	50.80	3.18	3.18	1.254
137	<b>15797</b>	60.00	30.00	4.00	4.00	1.209
138	<b>15728</b>	67.00	39.00	2.80	2.80	1.053
139	<b>15691</b>	68.00	22.00	1.20	1.20	0.354
140	<b>15765</b>	75.00	35.00	4.00	4.00	1.479
141	<b>S6593</b>	75.00	50.00	5.00	5.00	2.227
142	<b>15716</b>	76.00	32.00	5.00	2.20	1.256
143	<b>15617</b>	76.20	50.80	3.18	3.18	1.472
144	<b>15707</b>	76.40	19.20	1.90	1.20	0.432
145	<b>15799</b>	77.00	35.00	5.00	5.00	1.849

# GENERAL SHAPE


## CHANNELS

### CHANNELS - SQUARE FILLET


SL. No.	Section No.	A	B	C	D	Weight kg/m
146	<b>S6580</b>	94.00	20.00	3.00	3.00	1.036
147	<b>15746</b>	99.00	15.00	1.10	1.10	0.376
148	<b>15762</b>	100.00	25.00	1.50	1.50	0.595
149	<b>15680</b>	100.00	25.00	2.00	2.00	0.788
150	<b>15709</b>	100.00	30.00	1.10	1.10	0.468
151	<b>15736</b>	100.00	30.00	1.50	1.50	0.635
152	<b>15798</b>	100.00	30.00	2.00	2.00	0.842
153	<b>15766</b>	100.00	50.00	10.00	10.00	4.860
154	<b>15788</b>	100.00	103.00	2.50	2.50	2.031
155	<b>15725</b>	101.60	50.80	5.00	5.00	2.608
156	<b>15723</b>	101.60	50.80	6.35	6.35	3.266
157	<b>S6371</b>	104.00	25.00	2.00	2.00	0.810
158	<b>S6779</b>	105.00	12.00	2.00	2.00	0.675
159	<b>15703</b>	110.00	25.00	2.00	2.00	0.842
160	<b>15780</b>	120.00	50.00	8.00	8.00	4.406
161	<b>15779</b>	120.00	60.00	8.00	8.00	4.838
162	<b>S6032</b>	127.00	48.00	12.00	12.00	6.447
163	<b>15777</b>	130.00	50.00	7.00	7.00	4.082
164	<b>15729</b>	130.00	67.50	11.60	11.60	7.573
165	<b>15764</b>	134.00	32.00	10.00	8.00	4.190
166	<b>15750</b>	150.00	50.00	4.00	4.00	2.613
167	<b>S6798</b>	150.00	100.00	2.50	2.50	2.328
168	<b>15772</b>	152.40	63.50	7.60	4.60	4.310
169	<b>S6370</b>	164.00	25.00	2.00	2.00	1.134
170	<b>15790</b>	200.00	100.00	12.00	12.00	12.182
171	<b>S6706</b>	200.00	125.00	6.00	6.00	7.095

# GENERAL SHAPE


## CHANNELS




SL. No.	Section No.	A	B	R	Weight kg/m
1	<b>17545</b>	23.40	1.13	0.60	0.184
2	<b>17539</b>	23.90	1.65	0.80	0.268



SL. No.	Section No.	A	B	C	Weight kg/m
1	<b>17711</b>	24.60	12.30	0.73	0.096
2	<b>17579</b>	24.60	12.30	0.95	0.123



SL. No.	Section No.	A	Weight kg/m
1	<b>26960</b>	61.67	0.633
2	<b>26959</b>	86.00	0.817
3	<b>26958</b>	111.00	1.006
4	<b>26957</b>	137.60	1.207
5	<b>26956</b>	163.00	1.399




SL. No.	Section No.	A	B	C	D	Weight kg/m
1	<b>27382</b>	75.00	35.00	6.00	3.00	1.639
2	<b>27383</b>	100.00	40.00	6.50	3.50	2.221
3	<b>27384</b>	125.00	45.00	8.00	5.00	3.406
4	<b>27385</b>	150.00	50.00	10.00	5.00	4.446
5	<b>27386</b>	175.00	60.00	9.00	5.00	5.026
6	<b>27387</b>	200.00	65.00	9.00	5.00	5.607

# GENERAL SHAPE

## CHANNELS


17603

0.249 kg/m




17754

0.454 kg/m




17772

0.173 kg/m




17707

1.223 kg/m




17715

0.873 kg/m




17728

16.537 kg/m



29637

2.046 kg/m




# GENERAL SHAPE

## CHANNELS


28848

1.664 kg/m




29451

0.901 kg/m




29584

0.793 kg/m




17713

0.325 kg/m




17714

0.648 kg/m




17656

1.761 kg/m



17729

0.658 kg/m





# GENERAL SHAPE



## CHANNELS

27884

1.543 kg/m

28486

2.757 kg/m





27828

1.397 kg/m


25095

5.913 kg/m



17783

13.375 kg/m





17774

2.178 kg/m

28099

1.412 kg/m



# GENERAL SHAPE



## CHANNELS

29577

1.191 kg/m

S6596

2.116 kg/m





S6793

0.053 kg/m


S6484

0.336 kg/m




G100045

8.024 kg/m



G100046

8.669 kg/m




# GENERAL SHAPE

## CHANNELS


G100685

0.842 kg/m




G101103

0.718 kg/m




G100714

9.326 kg/m




G100715

5.367 kg/m




G100772

1.371 kg/m



G100788

0.205 kg/m



G101002

5.694 kg/m

