



## DOORS SECTIONS




SL. No.	Section No.	A	B	C	Weight kg/m
1	<b>19538</b>	47.62	44.45	1.18	0.667
2	<b>19547</b>	47.62	44.45	1.35	0.759
3	<b>19526</b>	47.62	44.50	1.62	0.881
4	<b>19569</b>	47.62	44.45	2.02	1.052
5	<b>19501</b>	47.62	44.45	3.10	1.509
6	<b>19585</b>	50.00	44.50	1.90	1.030
7	<b>19554</b>	50.00	44.50	2.50	1.292
8	<b>19516</b>	53.70	44.45	2.30	1.238
9	<b>19600</b>	85.00	44.45	1.40	1.037
10	<b>19550</b>	85.00	44.45	1.56	1.139
11	<b>19572</b>	85.00	44.45	1.80	1.301
12	<b>19560</b>	85.00	44.45	2.00	1.417
13	<b>19509</b>	85.00	44.45	3.00	2.050
14	<b>19592</b>	85.00	44.45	3.26	2.200



SL. No.	Section No.	A	B	Weight kg/m
1	<b>19570</b>	47.62	1.90	0.911
2	<b>19502</b>	47.62	2.82	1.294
3	<b>19518</b>	53.70	2.30	1.173


19614

1.243 kg/m




19589

0.777 kg/m





19543

0.493 kg/m



## DOORS SECTIONS




SL. No.	Section No.	A	B	Weight kg/m
1	20006	25.00	2.40	0.918
2	20042	49.91	0.98	0.607
3	20086	49.91	1.30	0.753
4	19575	49.91	1.60	0.882
5	20060	49.91	2.01	1.072
6	20014	49.91	3.00	1.495
7	19625	83.50	1.28	0.976
8	19599	83.50	1.40	1.052
9	19551	83.50	1.54	1.139
10	19535	83.50	1.70	1.243
11	20111	83.50	2.11	1.497
12	19525	83.50	2.40	1.679
13	19583	83.50	3.18	2.145
14	19564	100.00	2.00	1.603
15	19653	100.00	3.00	2.302
16	20002	150.00	2.65	2.779
17	19596	150.00	3.00	3.116
18	19620	200.00	3.00	3.926

SL. No.	Section No.	A	B	C	Weight kg/m
1	19542	47.62	44.45	1.14	0.607
2	19527	47.62	44.45	1.74	0.881
3	20071	47.62	44.45	1.88	0.943
4	20061	47.62	44.45	2.17	1.072
5	19512	47.62	44.45	3.00	1.426
6	19548	47.62	44.50	1.42	0.737
7	19549	83.50	44.45	1.62	1.139
8	19582	83.50	44.45	1.87	1.300
9	19508	83.50	44.45	3.00	2.107
10	19647	83.50	44.45	4.00	2.609


19568

1.600 kg/m




19578


1.006 kg/m



## DOORS SECTIONS




SL. No.	Section No.	A	B	C	D	Weight kg/m
1	<b>19539</b>	47.62	44.45	1.40	10.20	0.719
2	<b>19637</b>	47.62	44.45	1.67	10.20	0.850
3	<b>19528</b>	47.62	44.45	1.74	10.16	0.881
4	<b>19571</b>	47.62	44.45	1.95	10.16	0.974
5	<b>19503</b>	47.62	44.45	3.18	10.16	1.501
6	<b>19555</b>	50.00	44.50	2.50	9.50	1.247
7	<b>19580</b>	83.50	44.45	1.49	9.50	1.055
8	<b>20140</b>	83.50	44.45	1.26	9.50	0.935
9	<b>19581</b>	83.50	44.45	2.00	9.50	1.384
10	<b>19593</b>	83.50	44.45	3.27	9.50	2.172
11	<b>19648</b>	83.50	44.45	4.00	9.50	2.609
12	<b>19563</b>	85.00	44.45	2.70	10.00	1.843
13	<b>19529</b>	95.25	44.45	1.70	25.40	1.301
14	<b>19505</b>	95.25	44.45	2.00	25.40	1.511
15	<b>19556</b>	101.60	44.50	2.50	25.00	1.943
16	<b>19541</b>	114.30	44.45	1.29	25.40	1.139
17	<b>19534</b>	114.30	44.45	1.35	10.15	1.190
18	<b>19530</b>	114.30	44.45	1.49	25.40	1.302
19	<b>19623</b>	114.30	44.45	1.68	10.15	1.459
20	<b>19567</b>	114.30	44.45	1.75	10.15	1.516
21	<b>19559</b>	114.30	44.45	1.95	10.15	1.674
22	<b>19573</b>	114.30	44.45	2.15	10.15	1.836
23	<b>19574</b>	114.30	44.45	2.15	25.40	1.836
24	<b>19591</b>	114.30	44.45	2.42	10.15	2.051
25	<b>19510</b>	114.30	44.45	3.18	10.15	2.646
26	<b>19511</b>	114.30	44.45	3.18	25.40	2.646
27	<b>19517</b>	150.00	44.45	2.20	25.40	2.376
28	<b>19584</b>	150.00	44.45	3.10	25.40	3.181
29	<b>19621</b>	200.00	44.45	3.00	25.40	3.894



SL. No.	Section No.	A	B	Weight kg/m
1	<b>19520</b>	48.00	9.50	1.342
2	<b>19519</b>	100.00	25.00	1.917


## DOORS SECTIONS




SL. No.	Section No.	A	C	D	Weight kg/m
1	<b>19576</b>	47.62	0.99	10.15	0.537
2	<b>19544</b>	95.25	0.89	25.40	0.719
3	<b>19540</b>	95.25	1.16	25.40	0.911

19601


1.481 kg/m



## DOORS SECTIONS



SL. No.	Section No.	A	B	C	Weight kg/m
1	<b>19566</b>	47.00	38.00	2.40	1.102
2	<b>19616</b>	47.00	38.00	4.20	1.797
3	<b>19579</b>	47.50	38.25	1.58	0.769
4	<b>19636</b>	47.62	37.46	3.00	1.344
5	<b>20138</b>	83.50	73.35	1.46	0.998
6	<b>19590</b>	83.50	73.35	1.55	1.053




SL. No.	Section No.	A	Weight kg/m
1	<b>19613</b>	1.40	0.830
2	<b>19565</b>	2.40	1.281

## DOORS SECTIONS


19531

0.924 kg/m




21339

1.318 kg/m




19634

1.840 kg/m





19545

2.959 kg/m



19514

1.415 kg/m




SL. No.	Section No.	A	Weight kg/m
1	<b>19650</b>	48.00	0.774
2	<b>19649</b>	57.90	0.988

## DOORS SECTIONS


19515

3.170 kg/m




19546

2.725 kg/m




19595

2.325 kg/m




19602

1.581 kg/m




19611

1.527 kg/m



19646


0.914 kg/m



## DOORS SECTIONS


19598

0.632 kg/m





19603

0.529 kg/m



19606

0.434 kg/m




SL. No.	Section No.	A	Weight kg/m
1	<b>19607</b>	0.80	0.397
2	<b>19597</b>	1.00	0.492



## DOORS SECTIONS


19631

1.450 kg/m




19639

0.785 kg/m



19466


0.781 kg/m



MATCHING WITH 21614

19467


0.710 kg/m



MATCHING WITH 21615

41533

1.012 kg/m




MATCHING WITH 21358

## DOORS SECTIONS


21159

1.969 kg/m




19674

1.466 kg/m




19675

1.211 kg/m



19652


1.172 kg/m




MATCHING WITH 19472

## DOORS SECTIONS


19504 1.324 kg/m




19594 1.285 kg/m




19557 1.248 kg/m




19552 1.116 kg/m




19612 2.043 kg/m




19609 0.974 kg/m











19619 1.124 kg/m



20861 0.858 kg/m




## DOORS SECTIONS



## DOORS SECTIONS


19661

1.053 kg/m




S5452

2.178 kg/m




19671

3.118 kg/m




19673

1.134 kg/m




19670

1.624 kg/m




19669

0.662 kg/m




S5637

1.948 kg/m



S5484


2.790 kg/m



## DOORS SECTIONS


38521

1.259 kg/m




19684

2.981 kg/m





19662

2.628 kg/m



20149


1.999 kg/m



Sl. No.	Section No.	A	Weight kg/m
1	20130	1.40	0.947
2	20024	1.70	1.158
3	20001	2.65	1.657
4	20137	3.18	1.954


G100401

1.039 kg/m



G100877


1.593 kg/m



DOORS SECTIONS


19533

2.863 kg/m




19553

1.800 kg/m




19558

1.926 kg/m



19618


2.111 kg/m



## DOORS SECTIONS


19610

1.753 kg/m




19635

1.876 kg/m




19622

1.986 kg/m



19654

2.393 kg/m






DOORS SECTIONS


19659

3.425 kg/m




21473

0.988 kg/m




19664

2.047 kg/m




19608

1.626 kg/m




## DOORS SECTIONS



SL. No.	Section No.	A	Weight kg/m
1	<b>21033</b>	2.64	0.945
2	<b>20515</b>	3.00	1.056

MATCHING WITH 21034,20513




SL. No.	Section No.	A	Weight kg/m
1	<b>21034</b>	2.64	1.555
2	<b>20513</b>	3.00	1.705

MATCHING WITH 21033,20515


19641

1.654 kg/m



20153


0.976 kg/m



## DOORS SECTIONS

19657


1.031 kg/m



MATCHING WITH 19658

19658


0.650 kg/m



MATCHING WITH 19657


21311

3.524 kg/m



20900


1.207 kg/m



DOORS SECTIONS


S6178

2.905 kg/m




S6616

2.593 kg/m




S6176

4.209 kg/m



S6591


1.793 kg/m



DOORS SECTIONS


19665

3.304 kg/m




S6590

2.956 kg/m



21370


0.912 kg/m



MATCHING WITH 20513

19688


3.548 kg/m



DOORS SECTIONS


19615

3.145 kg/m




21474

1.881 kg/m



19663


3.560 kg/m



DOORS SECTIONS


S6181

4.479 kg/m




19642

2.981 kg/m



20087


2.079 kg/m



## DOORS SECTIONS


S6595

3.122 kg/m




19672

3.786 kg/m



20154

1.757 kg/m






DOORS SECTIONS


20996

2.102 kg/m



21312


4.033 kg/m



## DOORS SECTIONS


19638

1.687 kg/m




19644

0.808 kg/m




19643

0.952 kg/m




19645

0.552 kg/m




29562

1.655 kg/m




19660

0.623 kg/m




15171

0.580 kg/m








29694

0.416 kg/m




DOORS SECTIONS



## DOORS SECTIONS


19678

1.573 kg/m




19679

0.843 kg/m




19689

0.768 kg/m



## PARTITION SECTION


### DOUBLE GROOVE



SL. No.	Section No.	A	B	C	D	Weight kg/m
1	<b>20089</b>	47.80	24.00	0.59	7.50	0.316
2	<b>20050</b>	50.80	25.40	0.63	7.50	0.350
3	<b>20044</b>	50.80	25.40	0.79	7.50	0.414
4	<b>20079</b>	50.80	25.40	0.98	7.50	0.496
5	<b>20031</b>	50.80	25.40	1.19	7.50	0.581
6	<b>20017</b>	50.80	25.40	1.34	8.00	0.651
7	<b>20046</b>	63.50	38.10	0.66	7.50	0.455
8	<b>20069</b>	63.50	38.10	0.83	7.50	0.547
9	<b>20034</b>	63.50	38.10	0.92	7.50	0.593
10	<b>20053</b>	63.50	38.10	1.08	7.50	0.686
11	<b>20026</b>	63.50	38.10	1.21	7.50	0.761
12	<b>20062</b>	63.50	38.10	1.28	8.00	0.805
13	<b>20047</b>	63.50	38.10	1.53	8.00	0.942
14	<b>20072</b>	63.50	38.10	1.85	8.00	1.095
15	<b>20064</b>	63.50	38.10	2.50	8.00	1.444
16	<b>20004</b>	63.50	38.10	3.18	8.00	1.790
17	<b>20143</b>	75.00	38.10	1.20	8.00	0.832
18	<b>20144</b>	75.00	45.00	1.25	8.00	0.908
19	<b>20037</b>	82.50	38.00	1.10	8.00	0.833
20	<b>20124</b>	89.00	32.00	1.50	8.00	1.079
21	<b>20035</b>	82.50	38.00	1.60	8.00	1.139
22	<b>20160</b>	82.50	38.00	3.18	8.00	2.115
23	<b>20021</b>	89.00	32.00	2.75	8.00	1.905
24	<b>20147</b>	92.00	31.75	1.30	8.00	0.972
25	<b>20152</b>	92.00	31.75	2.00	8.00	1.422
26	<b>20051</b>	101.60	44.45	1.20	8.00	1.060
27	<b>20028</b>	101.60	44.45	1.50	8.00	1.301
28	<b>20076</b>	101.60	44.45	1.93	8.00	1.608
29	<b>20075</b>	101.60	44.45	2.40	8.00	1.954
27	<b>20057</b>	101.60	44.45	2.50	8.00	2.050
27	<b>20066</b>	101.60	44.45	3.00	8.00	2.415
28	<b>20010</b>	101.60	44.45	3.18	8.00	2.683
29	<b>20113</b>	101.60	44.45	3.60	8.00	2.849
30	<b>20145</b>	116.00	44.50	1.50	8.00	1.404
31	<b>20081</b>	123.00	44.45	1.50	8.00	1.456

## PARTITION SECTION

### SINGLE GROOVE




SL. No.	Section No.	A	B	C	D	Weight kg/m
1	<b>20088</b>	47.80	24.00	0.60	7.50	0.274
2	<b>20058</b>	50.00	25.00	2.00	8.00	0.849
3	<b>20049</b>	50.80	25.40	0.73	7.50	0.342
4	<b>20043</b>	50.80	25.40	0.91	7.50	0.414
5	<b>20080</b>	50.80	25.40	1.09	7.50	0.489
6	<b>20030</b>	50.80	25.40	1.30	8.00	0.581
7	<b>20016</b>	50.80	25.40	1.50	8.00	0.651
8	<b>20045</b>	63.50	38.10	0.75	7.50	0.455
9	<b>20068</b>	63.50	38.10	0.92	7.50	0.546
10	<b>20033</b>	63.50	38.10	1.01	7.50	0.595
11	<b>20054</b>	63.50	38.10	1.17	7.50	0.681
12	<b>20027</b>	63.50	38.10	1.31	8.00	0.758
13	<b>20063</b>	63.50	38.10	1.41	8.00	0.818
14	<b>20125</b>	63.50	38.10	1.50	8.00	0.861
15	<b>20048</b>	63.50	38.10	1.65	8.00	0.942
16	<b>20073</b>	63.50	38.10	1.95	8.00	1.092
17	<b>20065</b>	63.50	38.10	2.50	8.00	1.369
18	<b>20005</b>	63.50	38.10	3.18	8.00	1.777
19	<b>20038</b>	82.50	38.00	1.20	8.00	0.829
20	<b>20036</b>	82.50	38.00	1.70	8.00	1.139
21	<b>20159</b>	82.50	38.00	3.18	8.00	2.037
22	<b>20158</b>	82.50	82.50	1.80	8.00	1.633
23	<b>20032</b>	89.00	32.00	2.75	8.00	1.787
24	<b>20126</b>	92.00	29.50	1.15	7.50	0.794
25	<b>20128</b>	92.00	32.00	1.30	8.00	0.910
26	<b>20052</b>	101.60	44.45	1.27	8.00	1.049
27	<b>20029</b>	101.60	44.45	1.60	8.00	1.301
28	<b>20146</b>	101.60	44.45	1.90	8.50	1.534
29	<b>20078</b>	101.60	44.45	2.01	8.00	1.605
30	<b>20077</b>	101.60	44.45	2.47	8.00	1.950
31	<b>20102</b>	101.60	44.45	2.50	8.00	1.977
32	<b>20067</b>	101.60	44.45	3.00	8.00	2.342
33	<b>20011</b>	101.60	44.45	3.18	8.00	2.541
34	<b>20112</b>	101.60	44.45	3.70	8.00	2.846
35	<b>20059</b>	123.00	44.45	1.50	8.00	1.394
36	<b>20136</b>	123.00	44.45	3.00	8.00	2.687
37	<b>20157</b>	127.00	44.45	3.00	8.00	2.752
38	<b>20139</b>	127.20	25.25	1.22	8.00	1.048

## PARTITION SECTION



20023

2.150 kg/m



20022


1.933 kg/m




SL. No.	Section No.	A	Weight kg/m
1	20150	0.85	0.155
2	20151	1.10	0.195
3	20121	1.20	0.210
4	20107	1.44	0.246

20129


0.346 kg/m



## PARTITION SECTION




SL. No.	Section No.	A	Weight kg/m
1	<b>20074</b>	2.45	1.951
2	<b>20008</b>	3.18	2.508




SL. No.	Section No.	C	Weight kg/m
1	<b>20007</b>	2.40	1.995
2	<b>20101</b>	3.18	2.617


20141 1.992 kg/m




20013 1.959 kg/m



20155 1.474 kg/m



G100757 1.358 kg/m




**MATCHING SECTION 19377**



## PARTITION SECTION


20122

1.774 kg/m




20123

1.943 kg/m




20362

1.153 kg/m




20363

1.297 kg/m



G100758

1.453 kg/m




MATCHING SECTION 19377

## PARTITION SECTION


20055

1.032 kg/m




20134

1.036 kg/m




20056

0.969 kg/m




17587

1.147 kg/m



20133


0.925 kg/m



## PARTITION SECTION


20012

0.886 kg/m




20156

1.062 kg/m




20148

0.661 kg/m




20142

0.901 kg/m




20127

1.887 kg/m



20161


0.407 kg/m



## PARTITION SECTION


20019

2.655 kg/m




20020

2.818 kg/m




20135

2.673 kg/m



20092


0.717 kg/m



SAMOSA SECTION

20103

0.944 kg/m



20106

1.875 kg/m

