


# GENERAL SHAPE

## ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13422	5.60	1.20	0.045
2	13311	6.20	0.90	0.040
3	13125	6.20	1.20	0.050
4	13630	6.35	1.22	0.053
5	13176	6.35	1.50	0.062
6	13245	6.35	2.07	0.075
7	13576	7.25	1.42	0.070
8	13118	7.40	1.50	0.075
9	13286	7.75	1.00	0.057
10	13481	7.80	1.00	0.058
11	13255	8.00	1.00	0.059
12	13355	8.00	1.20	0.069
13	13036	8.00	1.27	0.072
14	13063	8.00	1.50	0.083
15	13775	8.00	1.80	0.095
16	13445	8.00	2.00	0.102
17	13692	8.10	0.50	0.032
18	13781	8.10	2.35	0.115
19	13149	8.30	1.45	0.084
20	13670	8.46	0.68	0.045
21	13602	8.60	0.80	0.053
22	13265	8.80	2.65	0.138
23	13208	9.00	0.53	0.038
24	13329	9.05	1.00	0.063
25	13326	9.20	0.78	0.056
26	13284	9.35	0.55	0.041
27	13209	9.35	0.64	0.048
28	13553	9.35	0.65	0.048
29	13163	9.50	1.35	0.093
30	13144	9.52	0.78	0.058
31	13003	9.52	0.92	0.067
32	13210	9.52	1.00	0.073
33	13303	9.52	1.13	0.080
34	13001	9.52	1.22	0.086
35	13002	9.52	1.63	0.109
36	13784	9.60	0.80	0.060
37	13536	9.70	1.40	0.099
38	13647	9.75	2.13	0.138
39	13394	10.00	0.80	0.062
40	13524	10.00	0.82	0.064
41	13097	10.00	1.00	0.076
42	13093	10.00	1.50	0.108
43	13436	10.50	0.51	0.043
44	13381	10.50	1.70	0.127
45	13159	10.80	1.40	0.112

SL. No.	Section No.	ØA	B	Weight kg/m
46	13578	11.00	0.42	0.038
47	13207	11.00	0.48	0.043
48	13488	11.00	3.00	0.204
49	13396	11.10	1.00	0.086
50	13277	11.11	1.60	0.129
51	13231	12.00	0.48	0.047
52	13181	12.00	0.55	0.054
53	13145	12.00	0.72	0.068
54	13130	12.00	0.91	0.086
55	13128	12.00	1.00	0.093
56	13791	12.00	1.00	0.093
57	13745	12.00	2.20	0.183
58	13462	12.00	3.00	0.229
59	13004	12.70	0.86	0.086
60	13005	12.70	1.19	0.116
61	13779	12.70	1.40	0.134
62	13006	12.70	1.63	0.153
63	13007	12.70	2.03	0.184
64	13058	12.70	2.20	0.196
65	13608	12.70	2.55	0.220
66	13263	13.00	1.00	0.102
67	13126	13.00	1.85	0.175
68	13664	14.00	0.87	0.097
69	13234	14.00	1.55	0.164
70	13237	14.00	3.10	0.287
71	13067	14.50	1.22	0.137
72	13211	15.00	0.54	0.066
73	13182	15.00	0.60	0.073
74	13685	15.00	1.00	0.119
75	13008	15.00	2.00	0.221
76	13267	15.00	4.75	0.413
77	13228	15.20	0.72	0.088
78	13465	15.40	3.20	0.331
79	13621	15.50	2.35	0.262
80	13727	15.50	4.25	0.406
81	13751	15.70	3.50	0.362
82	13009	15.88	0.92	0.117
83	13212	15.88	0.96	0.121
84	13010	15.88	1.22	0.152
85	13011	15.88	1.63	0.197
86	13459	15.88	2.00	0.235
87	13012	15.88	2.38	0.272
88	13274	16.00	1.00	0.127
89	13691	16.00	1.60	0.195
90	13070	16.00	2.20	0.257
91	13124	16.00	2.75	0.309
92	13778	16.00	3.50	0.371
93	13334	16.90	2.45	0.300
94	13232	17.00	0.56	0.078
95	13169	17.00	2.60	0.318

# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
96	<b>13071</b>	17.10	2.10	0.267
97	<b>13792</b>	17.50	3.30	0.397
98	<b>13157</b>	18.00	0.60	0.089
99	<b>G100668</b>	18.00	1.00	0.144
100	<b>13492</b>	18.00	1.30	0.184
101	<b>13132</b>	18.00	1.63	0.226
102	<b>13185</b>	18.00	2.00	0.271
103	<b>13579</b>	18.50	0.47	0.072
104	<b>13213</b>	18.50	0.51	0.078
105	<b>13612</b>	18.50	0.54	0.082
106	<b>13183</b>	18.50	0.60	0.091
107	<b>13146</b>	18.50	0.72	0.108
108	<b>13643</b>	18.50	1.00	0.148
109	<b>13673</b>	18.60	1.15	0.170
110	<b>13165</b>	19.00	1.15	0.174
111	<b>13335</b>	19.00	2.65	0.367
112	<b>13257</b>	19.05	0.82	0.127
113	<b>13013</b>	19.05	0.92	0.141
114	<b>13214</b>	19.05	0.95	0.145
115	<b>13014</b>	19.05	1.12	0.171
116	<b>13368</b>	19.05	1.20	0.182
117	<b>13304</b>	19.05	1.30	0.195
118	<b>13015</b>	19.05	1.63	0.241
119	<b>13016</b>	19.05	1.70	0.249
120	<b>13460</b>	19.05	2.00	0.289
121	<b>13017</b>	19.05	2.50	0.351
122	<b>13461</b>	19.05	3.18	0.428
123	<b>13645</b>	19.50	1.50	0.229
124	<b>13072</b>	19.60	2.30	0.337
125	<b>13150</b>	19.60	2.40	0.350
126	<b>13035</b>	19.60	3.05	0.428
127	<b>13347</b>	19.80	6.20	0.715
128	<b>13359</b>	20.00	1.00	0.161
129	<b>13018</b>	20.00	1.25	0.199
130	<b>13409</b>	20.00	1.50	0.235
131	<b>13113</b>	20.00	1.63	0.254
132	<b>13251</b>	20.00	3.15	0.450
133	<b>13857</b>	20.50	2.30	0.355
134	<b>13272</b>	21.00	5.10	0.688
135	<b>13336</b>	21.10	3.00	0.460
136	<b>S4491</b>	21.18	1.60	0.266
137	<b>13107</b>	21.20	2.55	0.403
138	<b>13615</b>	21.40	4.80	0.676
139	<b>13073</b>	21.50	2.50	0.403
140	<b>13168</b>	21.70	3.10	0.489
141	<b>13262</b>	22.00	0.55	0.100
142	<b>13770</b>	22.00	0.55	0.100
143	<b>13752</b>	22.00	0.75	0.135
144	<b>13253</b>	22.00	0.85	0.152
145	<b>13626</b>	22.00	1.00	0.178

SL. No.	Section No.	ØA	B	Weight kg/m
146	<b>13603</b>	22.00	1.20	0.212
147	<b>13562</b>	22.00	1.25	0.220
148	<b>13561</b>	22.00	1.60	0.277
149	<b>13238</b>	22.00	4.10	0.623
150	<b>13589</b>	22.00	5.00	0.721
151	<b>13019</b>	22.22	0.88	0.159
152	<b>13376</b>	22.22	1.20	0.214
153	<b>13061</b>	22.22	1.60	0.280
154	<b>13278</b>	22.23	1.00	0.180
155	<b>S4492</b>	22.30	1.60	0.281
156	<b>13796</b>	22.50	6.00	0.840
157	<b>13384</b>	23.00	1.40	0.257
158	<b>13665</b>	23.40	1.00	0.190
159	<b>13108</b>	23.70	2.85	0.504
160	<b>13337</b>	23.90	3.65	0.626
161	<b>13147</b>	24.00	0.84	0.165
162	<b>13308</b>	24.00	1.25	0.241
163	<b>13133</b>	24.00	1.63	0.309
164	<b>13080</b>	24.00	2.75	0.496
165	<b>13523</b>	25.00	1.00	0.204
166	<b>13117</b>	25.00	1.22	0.246
167	<b>13034</b>	25.00	1.50	0.299
168	<b>13363</b>	25.00	1.50	0.299
169	<b>13470</b>	25.00	1.50	0.299
170	<b>13020</b>	25.00	2.00	0.390
171	<b>13566</b>	25.00	2.00	0.390
172	<b>13021</b>	25.00	2.50	0.477
173	<b>13862</b>	25.00	3.00	0.560
174	<b>13122</b>	25.00	4.00	0.713
175	<b>13721</b>	25.00	5.00	0.848
176	<b>13378</b>	25.00	6.45	1.015
177	<b>13776</b>	25.20	0.90	0.186
178	<b>13369</b>	25.40	0.83	0.173
179	<b>13215</b>	25.40	0.87	0.181
180	<b>13222</b>	25.40	1.00	0.207
181	<b>13305</b>	25.40	1.06	0.219
182	<b>13022</b>	25.40	1.22	0.250
183	<b>13306</b>	25.40	1.22	0.250
184	<b>13577</b>	25.40	1.30	0.266
185	<b>13023</b>	25.40	1.60	0.323
186	<b>13129</b>	25.40	1.90	0.379
187	<b>13090</b>	25.40	3.20	0.603
188	<b>13293</b>	25.40	5.95	0.981
189	<b>13444</b>	25.91	4.63	0.836
190	<b>13787</b>	26.00	1.60	0.331
191	<b>13441</b>	26.00	3.00	0.585
192	<b>13479</b>	26.00	3.50	0.668
193	<b>13683</b>	26.00	6.50	1.075
194	<b>13837</b>	26.51	3.43	0.671
195	<b>13641</b>	26.67	3.17	0.633

# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
196	<b>13186</b>	27.00	2.50	0.520
197	<b>13127</b>	27.00	3.00	0.611
198	<b>13109</b>	27.00	3.20	0.646
199	<b>13318</b>	27.00	5.50	1.003
200	<b>13338</b>	27.20	3.95	0.779
201	<b>13387</b>	27.50	1.50	0.331
202	<b>13360</b>	28.00	1.00	0.229
203	<b>13401</b>	28.00	1.60	0.358
204	<b>13110</b>	28.00	3.00	0.636
205	<b>13655</b>	28.00	3.00	0.636
206	<b>13038</b>	28.00	4.00	0.814
207	<b>13705</b>	28.00	5.35	1.028
208	<b>13315</b>	28.00	9.50	1.491
209	<b>13809</b>	28.60	1.60	0.366
210	<b>13114</b>	28.60	1.63	0.373
211	<b>13081</b>	28.60	3.30	0.708
212	<b>13429</b>	28.70	2.28	0.511
213	<b>13417</b>	29.00	1.00	0.238
214	<b>13235</b>	29.00	2.50	0.562
215	<b>13386</b>	30.00	0.70	0.174
216	<b>13260</b>	30.00	0.77	0.191
217	<b>13382</b>	30.00	1.00	0.246
218	<b>13047</b>	30.00	1.50	0.363
219	<b>13264</b>	30.00	2.00	0.475
220	<b>13829</b>	30.00	2.00	0.475
221	<b>13379</b>	30.00	2.30	0.540
222	<b>13190</b>	30.00	2.50	0.583
223	<b>13866</b>	30.00	3.00	0.687
224	<b>13639</b>	30.00	4.60	0.991
225	<b>13101</b>	30.00	5.25	1.102
226	<b>13171</b>	30.00	6.65	1.318
227	<b>13068</b>	30.00	7.25	1.399
228	<b>13024</b>	30.10	1.22	0.299
229	<b>13339</b>	30.20	4.20	0.926
230	<b>13628</b>	31.00	2.25	0.549
231	<b>13654</b>	31.00	3.00	0.713
232	<b>13111</b>	31.00	3.50	0.816
233	<b>13798</b>	31.75	0.80	0.210
234	<b>13254</b>	31.75	0.95	0.248
235	<b>13229</b>	31.75	1.05	0.273
236	<b>13571</b>	31.75	1.00	0.261
237	<b>13530</b>	31.75	1.10	0.286
238	<b>13025</b>	31.75	1.22	0.316
239	<b>13026</b>	31.75	1.63	0.416
240	<b>13027</b>	31.75	2.00	0.505
241	<b>13094</b>	31.75	3.18	0.771
242	<b>13758</b>	31.80	3.15	0.766
243	<b>13599</b>	31.80	3.20	0.776
244	<b>13458</b>	31.80	4.50	1.042
245	<b>13707</b>	31.90	5.10	1.159

SL. No.	Section No.	ØA	B	Weight kg/m
246	<b>13328</b>	32.00	1.20	0.314
247	<b>G100739</b>	32.00	1.50	0.388
248	<b>13248</b>	32.00	1.60	0.412
249	<b>13100</b>	32.00	2.00	0.509
250	<b>13598</b>	32.00	3.00	0.738
251	<b>13082</b>	32.00	3.50	0.846
252	<b>13066</b>	32.00	4.00	0.950
253	<b>13700</b>	32.00	4.25	1.000
254	<b>13375</b>	32.00	4.50	1.050
255	<b>13496</b>	32.00	8.00	1.629
256	<b>13581</b>	32.00	10.00	1.866
257	<b>13865</b>	32.25	4.69	1.097
258	<b>13640</b>	32.25	4.86	1.129
259	<b>13771</b>	32.50	3.55	0.872
260	<b>13591</b>	32.80	5.80	1.328
261	<b>13137</b>	33.00	3.50	0.875
262	<b>13483</b>	33.00	6.20	1.409
263	<b>13044</b>	33.00	6.25	1.418
264	<b>13570</b>	33.30	1.10	0.300
265	<b>G100271</b>	34.00	1.00	0.280
266	<b>13600</b>	34.00	4.50	1.126
267	<b>13199</b>	34.00	5.75	1.378
268	<b>13447</b>	34.00	8.75	1.874
269	<b>13736</b>	34.25	5.25	1.291
270	<b>13730</b>	34.64	1.44	0.406
271	<b>G100987</b>	34.70	9.75	2.063
272	<b>13342</b>	34.80	4.90	1.242
273	<b>13442</b>	35.00	1.20	0.344
274	<b>13393</b>	35.00	3.00	0.814
275	<b>13202</b>	35.00	4.50	1.164
276	<b>13712</b>	35.00	5.00	1.272
277	<b>13316</b>	35.00	7.00	1.663
278	<b>13633</b>	35.00	8.50	1.911
279	<b>S4303</b>	35.10	3.40	0.914
280	<b>13585</b>	35.20	4.50	1.172
281	<b>13706</b>	35.40	4.90	1.268
282	<b>13703</b>	35.80	4.90	1.284
283	<b>13446</b>	35.90	4.95	1.300
284	<b>G100740</b>	36.00	1.30	0.383
285	<b>13135</b>	36.00	2.00	0.576
286	<b>13828</b>	36.00	2.00	0.577
287	<b>13103</b>	36.00	4.00	1.085
288	<b>13607</b>	36.00	7.50	1.813
289	<b>13443</b>	36.00	8.00	1.900
290	<b>13567</b>	36.10	1.60	0.468
291	<b>13250</b>	36.50	3.00	0.852
292	<b>S6192</b>	37.00	4.00	1.120
293	<b>13388</b>	37.00	5.00	1.357
294	<b>13083</b>	37.50	4.25	1.198
295	<b>13256</b>	37.90	1.70	0.522

# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
296	<b>13711</b>	38.00	1.00	0.314
297	<b>13411</b>	38.00	1.20	0.375
298	<b>13091</b>	38.00	2.00	0.611
299	<b>13710</b>	38.00	3.00	0.891
300	<b>13323</b>	38.00	5.90	1.606
301	<b>13057</b>	38.00	6.50	1.737
302	<b>13385</b>	38.00	6.75	1.789
303	<b>13367</b>	38.00	7.50	1.940
304	<b>13224</b>	38.10	1.30	0.405
305	<b>13028</b>	38.10	1.63	0.504
306	<b>13029</b>	38.10	2.00	0.612
307	<b>13030</b>	38.10	2.50	0.755
308	<b>13099</b>	38.10	7.55	1.956
309	<b>13140</b>	38.20	3.20	0.950
310	<b>13762</b>	38.80	9.52	2.365
311	<b>13606</b>	39.00	9.00	2.290
312	<b>13769</b>	39.00	4.00	1.188
313	<b>13646</b>	39.10	1.50	0.478
314	<b>13340</b>	39.10	5.45	1.555
315	<b>13763</b>	39.80	10.03	2.532
316	<b>13786</b>	40.00	1.00	0.331
317	<b>13480</b>	40.00	1.20	0.395
318	<b>G100741</b>	40.00	1.30	0.427
319	<b>13078</b>	40.00	1.50	0.490
320	<b>13048</b>	40.00	2.00	0.645
321	<b>13152</b>	40.00	2.50	0.795
322	<b>13098</b>	40.00	3.00	0.941
323	<b>13134</b>	40.00	4.00	1.221
324	<b>13370</b>	40.00	5.00	1.484
325	<b>13507</b>	40.00	7.00	1.959
326	<b>13389</b>	40.00	8.00	2.171
327	<b>13276</b>	40.00	11.00	2.705
328	<b>13766</b>	40.00	14.00	3.088
329	<b>13504</b>	40.60	1.80	0.592
330	<b>13174</b>	41.00	5.00	1.527
331	<b>13416</b>	41.80	4.56	1.440
332	<b>13649</b>	41.80	4.56	1.440
333	<b>13827</b>	42.00	2.00	0.679
334	<b>13089</b>	42.00	2.00	0.679
335	<b>13319</b>	42.00	7.50	2.195
336	<b>13584</b>	42.00	8.25	2.362
337	<b>13412</b>	42.00	11.50	2.975
338	<b>13807</b>	42.10	4.75	1.505
339	<b>13808</b>	42.15	1.45	0.501
340	<b>13737</b>	42.16	3.55	1.163
341	<b>13419</b>	42.16	4.85	1.535
342	<b>S6650</b>	42.20	2.70	0.905
343	<b>13772</b>	42.50	3.95	1.292
344	<b>13696</b>	42.50	8.75	2.505
345	<b>13661</b>	42.55	4.90	1.565

SL. No.	Section No.	ØA	B	Weight kg/m
346	<b>13564</b>	42.70	9.35	2.645
347	<b>S5990</b>	43.00	6.25	1.948
348	<b>13116</b>	43.00	7.00	2.137
349	<b>13601</b>	43.40	10.00	2.833
350	<b>G100742</b>	44.00	1.30	0.471
351	<b>13468</b>	44.00	3.00	1.043
352	<b>13194</b>	44.00	10.00	2.884
353	<b>13341</b>	44.40	6.35	2.049
354	<b>13750</b>	44.45	1.60	0.582
355	<b>G100629</b>	44.45	9.525	2.822
356	<b>13077</b>	45.00	2.50	0.901
357	<b>13200</b>	45.00	4.00	1.391
358	<b>13331</b>	45.00	5.00	1.696
359	<b>13487</b>	45.00	14.00	3.681
360	<b>13565</b>	45.20	10.30	3.049
361	<b>13505</b>	45.70	1.80	0.670
362	<b>13084</b>	46.00	5.00	1.738
363	<b>13136</b>	46.00	5.50	1.889
364	<b>13310</b>	46.00	6.00	2.035
365	<b>13804</b>	46.25	1.00	0.384
366	<b>G100743</b>	48.00	1.30	0.515
367	<b>13826</b>	48.00	2.00	0.780
368	<b>13298</b>	48.00	4.00	1.492
369	<b>13138</b>	48.00	5.00	1.823
370	<b>13056</b>	48.00	8.75	2.913
371	<b>13088</b>	48.00	9.00	2.977
372	<b>13512</b>	48.10	4.60	1.697
373	<b>13667</b>	48.10	4.75	1.747
374	<b>13408</b>	48.16	4.51	1.670
375	<b>13172</b>	48.26	3.68	1.391
376	<b>13420</b>	48.26	5.08	1.861
377	<b>13510</b>	48.30	4.00	1.503
378	<b>13767</b>	48.30	3.00	1.153
379	<b>13588</b>	48.41	4.47	1.666
380	<b>S4210</b>	48.99	4.90	1.833
381	<b>13597</b>	49.90	10.75	3.570
382	<b>13271</b>	50.00	1.50	0.617
383	<b>13467</b>	50.00	2.00	0.814
384	<b>13064</b>	50.00	2.50	1.007
385	<b>13757</b>	50.00	2.50	1.007
386	<b>13065</b>	50.00	3.00	1.196
387	<b>13121</b>	50.00	5.00	1.908
388	<b>13327</b>	50.00	6.00	2.239
389	<b>13371</b>	50.00	7.50	2.704
390	<b>13583</b>	50.00	10.00	3.393
391	<b>13713</b>	50.00	12.50	3.976
392	<b>13131</b>	50.20	3.10	1.238
393	<b>13031</b>	50.80	1.63	0.680
394	<b>13506</b>	50.80	1.80	0.748
395	<b>13032</b>	50.80	2.03	0.840

# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
396	<b>13033</b>	50.80	2.50	1.024
397	<b>13414</b>	50.80	3.00	1.216
398	<b>G100569</b>	50.80	3.20	1.292
399	<b>13282</b>	50.80	6.35	2.400
400	<b>13112</b>	51.00	6.00	2.290
401	<b>13768</b>	51.00	18.00	5.038
402	<b>S3923</b>	51.80	3.65	1.491
403	<b>G100744</b>	52.00	1.30	0.559
404	<b>13042</b>	52.00	7.00	2.672
405	<b>13037</b>	52.00	9.50	3.425
406	<b>G100986</b>	52.00	11.00	3.826
407	<b>13437</b>	54.00	1.60	0.711
408	<b>13825</b>	54.00	2.00	0.882
409	<b>13672</b>	54.00	8.75	3.358
410	<b>13170</b>	54.00	10.00	3.732
411	<b>13783</b>	54.00	12.00	4.275
412	<b>13268</b>	55.00	2.50	1.113
413	<b>13777</b>	55.40	2.00	0.906
414	<b>13398</b>	55.80	7.35	3.021
415	<b>G100624</b>	56.00	1.30	0.603
416	<b>13632</b>	56.00	5.50	2.356
417	<b>13556</b>	56.80	14.40	5.179
418	<b>13674</b>	56.86	5.09	2.235
419	<b>13085</b>	57.00	6.75	2.877
420	<b>13652</b>	57.00	7.50	3.149
421	<b>13549</b>	57.00	18.00	5.955
422	<b>13049</b>	57.60	2.90	1.346
423	<b>13682</b>	57.80	16.90	5.863
424	<b>13372</b>	58.80	11.50	4.614
425	<b>13062</b>	59.50	4.50	2.099
426	<b>G100630</b>	60.00	1.30	0.647
427	<b>13075</b>	60.00	2.00	0.984
428	<b>13824</b>	60.00	2.00	0.984
429	<b>13817</b>	60.00	3.00	1.450
430	<b>13395</b>	60.00	2.50	1.219
431	<b>13748</b>	60.00	3.50	1.677
432	<b>13196</b>	60.00	10.00	4.241
433	<b>13761</b>	60.00	12.00	4.886
434	<b>13438</b>	60.00	20.00	6.786
435	<b>13218</b>	60.32	3.91	1.870
436	<b>13525</b>	60.33	5.28	2.468
437	<b>13236</b>	60.33	5.54	2.575
438	<b>13653</b>	61.00	8.00	3.596
439	<b>13782</b>	61.07	5.54	2.607
440	<b>13239</b>	62.00	6.37	3.005
441	<b>13050</b>	63.00	1.60	0.833
442	<b>13526</b>	63.00	2.00	1.035
443	<b>13453</b>	63.00	3.00	1.527
444	<b>13404</b>	63.00	4.00	2.002
445	<b>13397</b>	63.00	9.00	4.122

SL. No.	Section No.	ØA	B	Weight kg/m
446	<b>13059</b>	63.50	3.18	1.627
447	<b>13625</b>	63.50	6.00	2.926
448	<b>13139</b>	63.50	7.00	3.354
449	<b>S5991</b>	63.50	9.55	4.370
450	<b>G100625</b>	64.00	1.30	0.691
451	<b>13448</b>	64.00	6.00	2.952
452	<b>13671</b>	64.00	8.25	3.901
453	<b>G100222</b>	64.00	13.50	5.783
454	<b>G100962</b>	64.00	14.50	6.088
455	<b>13175</b>	65.00	1.00	0.542
456	<b>G100156</b>	65.00	3.50	1.826
457	<b>S5660</b>	65.00	6.00	3.003
458	<b>13823</b>	66.00	2.00	1.086
459	<b>13119</b>	66.00	6.00	3.053
460	<b>13241</b>	66.20	3.05	1.633
461	<b>G100626</b>	68.00	1.30	0.736
462	<b>G100306</b>	68.00	2.00	1.120
463	<b>13046</b>	69.35	3.18	1.782
464	<b>13166</b>	69.50	12.50	6.043
465	<b>13695</b>	70.00	2.00	1.154
466	<b>13620</b>	70.00	4.00	2.239
467	<b>13508</b>	70.00	5.00	2.757
468	<b>13780</b>	70.00	15.00	6.998
469	<b>13746</b>	70.00	16.50	7.488
470	<b>13040</b>	70.00	17.50	7.793
471	<b>13614</b>	70.00	25.00	9.543
472	<b>13451</b>	70.50	19.75	8.502
473	<b>13822</b>	72.00	2.00	1.188
474	<b>13690</b>	72.00	2.50	1.474
475	<b>13299</b>	72.00	12.00	6.107
476	<b>G100548</b>	72.30	1.30	0.783
477	<b>13704</b>	73.00	9.00	4.886
478	<b>13153</b>	73.03	5.16	2.970
479	<b>13086</b>	73.03	7.00	3.920
480	<b>13233</b>	75.00	3.00	1.832
481	<b>13193</b>	75.00	18.00	8.702
482	<b>G100549</b>	76.00	1.30	0.824
483	<b>13269</b>	76.00	2.50	1.559
484	<b>13115</b>	76.00	7.00	4.096
485	<b>13187</b>	76.10	4.50	2.732
486	<b>13225</b>	76.20	1.30	0.825
487	<b>13723</b>	76.20	1.45	0.919
488	<b>13259</b>	76.20	1.60	1.012
489	<b>13658</b>	76.20	2.00	1.259
490	<b>13141</b>	76.20	3.18	1.970
491	<b>13281</b>	76.20	6.35	3.762
492	<b>13051</b>	76.20	9.50	5.375
493	<b>13624</b>	76.20	10.00	5.615
494	<b>13722</b>	76.20	12.70	6.841
495	<b>13498</b>	76.50	23.50	10.565

# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
496	<b>13719</b>	76.50	27.75	11.475
497	<b>13821</b>	78.00	2.00	1.289
498	<b>13471</b>	78.18	4.00	2.517
499	<b>13773</b>	79.50	19.75	10.010
500	<b>13217</b>	80.00	2.50	1.643
501	<b>13569</b>	80.00	3.00	1.959
502	<b>13120</b>	80.00	4.00	2.579
503	<b>13349</b>	80.00	5.00	3.180
504	<b>13191</b>	80.00	6.00	3.766
505	<b>13391</b>	80.00	8.00	4.886
506	<b>13734</b>	80.00	10.00	5.938
507	<b>13810</b>	80.00	10.00	5.938
508	<b>13515</b>	80.00	11.50	6.682
509	<b>13164</b>	80.00	15.00	8.270
510	<b>13744</b>	80.00	15.00	8.270
511	<b>13742</b>	80.00	20.00	10.179
512	<b>13725</b>	80.00	21.00	10.509
513	<b>13324</b>	80.00	25.00	11.663
514	<b>13527</b>	80.20	2.00	1.327
515	<b>G100550</b>	80.80	1.30	0.877
516	<b>13216</b>	82.00	7.00	4.453
517	<b>13261</b>	82.00	21.50	11.033
518	<b>13092</b>	82.55	3.20	2.154
519	<b>13820</b>	84.00	2.00	1.391
520	<b>13313</b>	85.00	1.30	0.922
521	<b>13802</b>	85.00	12.50	7.687
522	<b>S6514</b>	85.00	23.50	12.259
523	<b>13806</b>	85.00	27.50	13.413
524	<b>13189</b>	86.00	8.00	5.293
525	<b>13045</b>	86.35	3.18	2.243
526	<b>13714</b>	88.00	2.00	1.459
527	<b>13715</b>	88.00	3.00	2.163
528	<b>S6807</b>	88.00	17.50	10.465
529	<b>13154</b>	88.90	4.05	2.915
530	<b>13106</b>	88.90	5.36	3.798
531	<b>13430</b>	88.90	5.49	3.884
532	<b>13142</b>	88.90	6.35	4.446
533	<b>13295</b>	88.90	7.62	5.253
534	<b>13617</b>	88.90	7.62	5.254
535	<b>13637</b>	88.90	7.62	5.254
536	<b>13493</b>	88.90	9.52	6.410
537	<b>S6275</b>	89.00	10.00	6.701
538	<b>13698</b>	90.00	1.70	1.273
539	<b>13613</b>	90.00	2.50	1.856
540	<b>13162</b>	90.00	3.50	2.568
541	<b>13074</b>	90.00	4.00	2.918
542	<b>G100098</b>	90.00	11.00	7.371
543	<b>13759</b>	90.00	15.00	9.543
544	<b>13055</b>	90.00	17.50	10.762
545	<b>S6660</b>	90.24	7.62	5.340

SL. No.	Section No.	ØA	B	Weight kg/m
546	<b>13760</b>	90.50	8.00	5.598
547	<b>13192</b>	91.80	3.30	2.477
548	<b>13720</b>	92.00	10.00	6.955
549	<b>13611</b>	92.00	14.50	9.532
550	<b>13552</b>	92.00	22.00	13.063
551	<b>S6195</b>	92.00	36.25	17.142
552	<b>13582</b>	92.10	6.27	4.568
553	<b>13854</b>	94.00	14.00	9.500
554	<b>13728</b>	95.00	2.50	1.962
555	<b>13500</b>	95.25	12.70	8.893
556	<b>13790</b>	96.00	3.00	2.367
557	<b>13204</b>	96.00	11.50	8.243
558	<b>13179</b>	96.00	19.50	12.653
559	<b>13320</b>	96.50	5.00	3.880
560	<b>13198</b>	96.50	10.00	7.337
561	<b>13592</b>	96.50	25.00	15.162
562	<b>13423</b>	98.00	4.00	3.189
563	<b>13258</b>	98.00	26.00	15.878
564	<b>13716</b>	100.00	2.50	2.068
565	<b>13095</b>	100.00	3.20	2.627
566	<b>13242</b>	100.00	4.00	3.257
567	<b>13540</b>	100.00	5.00	4.029
568	<b>13520</b>	100.00	6.00	4.784
569	<b>13252</b>	100.00	8.00	6.243
570	<b>13729</b>	100.00	15.00	10.815
571	<b>13743</b>	100.00	15.00	10.815
572	<b>13800</b>	100.00	16.00	11.400
573	<b>13732</b>	100.00	20.00	13.572
574	<b>S6808</b>	100.00	17.00	11.969
575	<b>13659</b>	101.60	2.30	1.937
576	<b>13219</b>	101.60	3.20	2.671
577	<b>13864</b>	101.60	4.45	3.663
578	<b>13069</b>	101.60	5.74	4.667
579	<b>13296</b>	101.60	8.08	6.409
580	<b>13407</b>	101.60	10.00	7.770
581	<b>13495</b>	101.60	19.05	13.339
582	<b>13322</b>	102.00	12.00	9.160
583	<b>13521</b>	105.00	2.50	2.174
584	<b>13604</b>	105.15	1.90	1.664
585	<b>13666</b>	106.00	3.70	3.211
586	<b>13852</b>	106.00	14.00	10.925
587	<b>13853</b>	106.00	20.00	14.590
588	<b>13151</b>	108.00	3.00	2.672
589	<b>13344</b>	109.00	2.00	1.815
590	<b>13455</b>	110.00	5.00	4.453
591	<b>S6003</b>	110.00	10.00	8.842
592	<b>13668</b>	110.00	15.00	12.087
593	<b>S6642</b>	110.00	23.50	17.242
594	<b>13178</b>	112.00	11.50	9.803
595	<b>13815</b>	112.50	5.50	4.992



# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
596	<b>S6809</b>	113.00	17.50	14.176
597	<b>13491</b>	113.50	7.20	6.492
598	<b>13605</b>	113.54	2.04	1.925
599	<b>13638</b>	114.20	8.51	7.629
600	<b>13678</b>	114.30	6.02	5.529
601	<b>13158</b>	114.30	6.35	5.814
602	<b>13330</b>	114.30	8.56	7.678
603	<b>13618</b>	114.30	8.56	7.678
604	<b>13076</b>	114.50	4.50	4.199
605	<b>13490</b>	114.50	5.50	5.085
606	<b>13380</b>	117.70	11.75	10.560
607	<b>13345</b>	118.00	2.00	1.967
608	<b>13348</b>	120.00	1.50	1.507
609	<b>13548</b>	120.00	3.00	2.977
610	<b>S6158</b>	120.00	3.50	3.459
611	<b>13785</b>	120.00	4.00	3.936
612	<b>13593</b>	120.00	5.00	4.877
613	<b>13586</b>	120.00	8.00	7.600
614	<b>13657</b>	120.00	10.00	9.331
615	<b>13662</b>	120.00	12.00	10.993
616	<b>13616</b>	120.00	12.00	10.993
617	<b>13709</b>	120.00	13.00	11.799
618	<b>13684</b>	120.00	15.00	13.360
619	<b>13733</b>	120.00	17.50	15.215
620	<b>13735</b>	120.00	17.50	15.215
621	<b>13755</b>	120.00	20.00	16.965
622	<b>13366</b>	120.65	6.35	6.156
623	<b>13686</b>	121.00	30.50	23.413
624	<b>13399</b>	122.00	23.50	19.634
625	<b>13541</b>	122.50	30.00	23.538
626	<b>13533</b>	125.00	2.00	2.087
627	<b>G100266</b>	125.00	3.00	3.105
628	<b>G100154</b>	125.00	6.00	6.056
629	<b>13173</b>	125.00	6.50	6.533
630	<b>13830</b>	125.00	10.00	9.755
631	<b>13413</b>	125.00	12.00	11.502
632	<b>13795</b>	125.00	15.00	13.996
633	<b>13052</b>	125.00	20.00	17.813
634	<b>13697</b>	126.50	24.25	21.032
635	<b>13321</b>	127.00	3.50	3.666
636	<b>13816</b>	127.00	6.50	6.644
637	<b>13801</b>	127.00	9.07	9.073
638	<b>13749</b>	128.00	39.50	29.652
639	<b>13201</b>	130.00	7.50	7.793
640	<b>13390</b>	130.00	9.00	9.237
641	<b>13831</b>	130.00	10.00	10.179
642	<b>13609</b>	130.00	12.00	12.011
643	<b>13764</b>	130.00	23.50	21.229
644	<b>13595</b>	130.00	25.00	22.266
645	<b>13450</b>	130.00	28.50	24.537

SL. No.	Section No.	ØA	B	Weight kg/m
646	<b>13610</b>	130.00	33.50	27.421
647	<b>G100409</b>	131.50	19.50	18.525
648	<b>13774</b>	131.00	20.50	19.215
649	<b>13754</b>	132.00	2.50	2.746
650	<b>13454</b>	132.00	5.00	5.386
651	<b>13542</b>	133.00	4.00	4.377
652	<b>13765</b>	133.00	15.00	15.014
653	<b>13517</b>	133.00	28.00	24.938
654	<b>13374</b>	135.00	32.50	28.257
655	<b>13301</b>	136.00	16.50	16.725
656	<b>S6486</b>	137.00	3.00	3.410
657	<b>13283</b>	137.00	26.00	24.480
658	<b>13392</b>	139.70	7.35	8.251
659	<b>13405</b>	140.00	4.00	4.614
660	<b>S6304</b>	140.00	8.00	8.957
661	<b>13432</b>	140.00	9.00	10.001
662	<b>13424</b>	140.00	10.50	11.534
663	<b>13832</b>	140.00	15.00	15.904
664	<b>13587</b>	140.00	17.50	18.184
665	<b>13747</b>	140.00	20.00	20.358
666	<b>13687</b>	140.00	24.00	23.615
667	<b>13477</b>	141.30	9.53	10.652
668	<b>13699</b>	141.30	9.53	10.652
669	<b>13731</b>	141.50	23.25	23.320
670	<b>G100694</b>	142.00	11.50	12.730
671	<b>13279</b>	143.00	6.00	6.972
672	<b>13439</b>	143.00	29.00	28.042
673	<b>13457</b>	144.00	35.25	32.516
674	<b>13357</b>	145.00	7.50	8.747
675	<b>13244</b>	145.00	32.50	31.013
676	<b>13534</b>	146.00	17.50	19.075
677	<b>13426</b>	147.00	4.50	5.439
678	<b>13361</b>	150.00	2.00	2.511
679	<b>13717</b>	150.00	2.80	3.496
680	<b>13794</b>	150.00	3.00	3.741
681	<b>13509</b>	150.00	5.00	6.150
682	<b>13644</b>	150.00	6.50	7.912
683	<b>13501</b>	150.00	13.60	15.735
684	<b>13476</b>	152.00	10.00	12.045
685	<b>13400</b>	152.00	31.00	31.817
686	<b>13499</b>	153.00	22.50	24.906
687	<b>13484</b>	153.50	13.25	15.763
688	<b>13547</b>	153.60	44.00	40.905
689	<b>13406</b>	154.00	4.00	5.089
690	<b>13563</b>	154.00	5.00	6.319
691	<b>13522</b>	155.00	2.50	3.234
692	<b>13753</b>	155.00	2.50	3.234
693	<b>13373</b>	155.00	16.00	18.865
694	<b>G100769</b>	155.00	23.50	26.212
695	<b>13663</b>	155.00	30.50	32.209

# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
696	<b>13594</b>	156.00	8.00	10.043
697	<b>13456</b>	156.00	29.50	31.654
698	<b>13803</b>	158.00	3.00	3.944
699	<b>13543</b>	158.00	4.00	5.225
700	<b>13246</b>	159.00	4.50	5.897
701	<b>13123</b>	160.00	5.50	7.208
702	<b>13440</b>	160.00	5.50	7.208
703	<b>13428</b>	160.00	6.00	7.838
704	<b>13402</b>	160.00	8.00	10.314
705	<b>G100153</b>	160.00	10.00	12.723
706	<b>13688</b>	160.00	11.00	13.902
707	<b>13511</b>	160.00	13.00	16.210
708	<b>13797</b>	160.00	17.50	21.153
709	<b>13559</b>	160.00	25.50	29.092
710	<b>13529</b>	160.00	35.00	37.110
711	<b>13528</b>	160.40	4.00	5.307
712	<b>13249</b>	162.00	11.00	14.089
713	<b>13718</b>	164.00	6.00	8.041
714	<b>G100335</b>	165.00	3.00	4.122
715	<b>13538</b>	165.00	4.50	6.126
716	<b>S5668</b>	165.00	10.00	13.148
717	<b>G100107</b>	165.00	42.50	44.161
718	<b>13474</b>	165.00	44.50	45.484
719	<b>13724</b>	165.10	25.40	30.098
720	<b>13702</b>	167.00	6.00	8.194
721	<b>13351</b>	168.00	4.50	6.240
722	<b>13415</b>	168.00	7.50	10.210
723	<b>13648</b>	168.00	9.00	12.138
724	<b>13518</b>	168.00	25.00	30.324
725	<b>13726</b>	168.28	7.11	9.720
726	<b>13813</b>	168.30	3.00	4.206
727	<b>13660</b>	168.30	3.50	4.893
728	<b>13502</b>	168.30	10.97	14.640
729	<b>13544</b>	169.00	4.50	6.279
730	<b>13550</b>	170.00	5.00	6.998
731	<b>13650</b>	170.00	8.00	10.993
732	<b>13675</b>	170.00	8.50	11.644
733	<b>G100779</b>	171.00	19.50	25.059
734	<b>13290</b>	172.00	10.00	13.741
735	<b>13287</b>	172.00	17.00	22.350
736	<b>13537</b>	173.00	19.00	24.819
737	<b>13285</b>	173.00	24.00	30.333
738	<b>13161</b>	173.80	6.40	9.087
739	<b>G100808</b>	174.00	12.00	16.490
740	<b>13425</b>	175.00	15.00	20.358
741	<b>13573</b>	175.00	22.50	29.105
742	<b>13793</b>	176.00	3.00	4.402
743	<b>13805</b>	176.00	3.00	4.402
744	<b>13289</b>	177.80	12.70	17.785
745	<b>13701</b>	178.00	8.00	11.536

SL. No.	Section No.	ØA	B	Weight kg/m
746	<b>13516</b>	178.00	20.50	27.387
747	<b>13433</b>	180.00	6.50	9.566
748	<b>13836</b>	180.00	10.00	14.420
749	<b>13275</b>	180.00	15.00	20.993
750	<b>13352</b>	184.00	4.50	6.851
751	<b>13756</b>	184.00	8.00	11.943
752	<b>G100669</b>	184.50	2.66	4.103
753	<b>13356</b>	184.50	6.00	9.084
754	<b>13535</b>	185.00	11.00	16.235
755	<b>G100534</b>	185.00	45.00	53.438
756	<b>G100155</b>	186.00	6.00	9.161
757	<b>13247</b>	190.00	5.00	7.846
758	<b>13560</b>	190.00	9.00	13.818
759	<b>13627</b>	192.00	42.50	53.894
760	<b>S6520</b>	194.00	32.00	43.972
761	<b>13503</b>	195.00	13.50	20.784
762	<b>13350</b>	195.00	17.50	26.348
763	<b>13680</b>	195.00	20.00	29.688
764	<b>13629</b>	195.00	23.00	33.556
765	<b>13354</b>	195.00	25.00	36.050
766	<b>13452</b>	195.00	29.50	41.413
767	<b>S5669</b>	196.00	10.50	16.521
768	<b>13811</b>	197.00	4.00	6.548
769	<b>13677</b>	197.00	31.00	43.650
770	<b>13353</b>	200.00	4.50	7.462
771	<b>13631</b>	200.00	5.00	8.270
772	<b>13693</b>	200.00	6.00	9.873
773	<b>13403</b>	200.00	8.00	13.029
774	<b>13622</b>	200.00	10.00	16.116
775	<b>G100807</b>	200.00	12.00	19.136
776	<b>G100165</b>	200.00	25.00	37.110
777	<b>13497</b>	202.00	9.53	15.559
778	<b>13472</b>	202.00	18.50	28.795
779	<b>G100390</b>	202.00	18.50	28.795
780	<b>13623</b>	203.20	6.35	10.603
781	<b>G100768</b>	203.00	31.50	45.824
782	<b>13539</b>	205.00	5.00	8.482
783	<b>13280</b>	205.00	27.00	40.765
784	<b>G100770</b>	205.00	45.00	61.073
785	<b>13418</b>	206.00	8.50	14.240
786	<b>13464</b>	207.00	28.50	43.152
787	<b>13545</b>	210.00	5.00	8.694
788	<b>13557</b>	210.00	5.00	8.694
789	<b>13513</b>	210.00	15.00	24.811
790	<b>13740</b>	214.00	9.00	15.650
791	<b>13814</b>	215.80	3.00	5.415
792	<b>G100529</b>	219.08	8.179	14.632
793	<b>13519</b>	220.00	6.50	11.771
794	<b>13590</b>	220.00	8.00	14.386
795	<b>13580</b>	220.00	9.50	16.962



# GENERAL SHAPE

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
796	<b>G100391</b>	220.00	9.50	16.962
797	<b>13642</b>	220.00	10.00	17.813
798	<b>13532</b>	220.00	17.50	30.059
799	<b>13789</b>	223.00	8.50	15.465
800	<b>13619</b>	224.00	11.00	19.874
801	<b>13478</b>	225.00	5.00	9.331
802	<b>13434</b>	225.00	6.50	12.047
803	<b>13572</b>	225.00	20.00	34.777
804	<b>13475</b>	226.00	11.00	20.061
805	<b>13656</b>	226.00	42.00	65.551
806	<b>G100679</b>	227.00	8.50	15.754
807	<b>13596</b>	227.00	12.50	22.743
808	<b>13676</b>	229.00	24.00	41.733
809	<b>13551</b>	230.00	5.00	9.543
810	<b>13636</b>	230.00	25.00	43.472
811	<b>13635</b>	230.00	28.00	47.976
812	<b>13679</b>	230.00	13.00	23.929
813	<b>13568</b>	234.00	27.00	47.408
814	<b>13410</b>	235.00	8.00	15.404
815	<b>13741</b>	235.00	9.00	17.253
816	<b>13838</b>	238.00	5.00	9.882
817	<b>13835</b>	240.00	15.00	28.628
818	<b>13819</b>	240.00	40.00	67.858
819	<b>13463</b>	242.00	19.50	36.803
820	<b>13574</b>	245.00	35.00	62.345
821	<b>13738</b>	246.00	20.00	38.340
822	<b>13651</b>	246.00	30.00	54.965
823	<b>13482</b>	250.00	5.00	10.391
824	<b>13799</b>	250.00	6.00	12.418
825	<b>13694</b>	250.00	8.00	16.422
826	<b>G100810</b>	252.00	6.00	12.520
827	<b>13669</b>	252.00	11.00	22.487
828	<b>13473</b>	252.00	17.00	33.887
829	<b>13555</b>	252.00	17.00	33.887
830	<b>13546</b>	260.00	5.00	10.815
831	<b>13708</b>	262.00	6.00	13.029
832	<b>13788</b>	264.00	7.00	15.260
833	<b>13558</b>	270.00	5.00	11.239
834	<b>13514</b>	270.00	14.00	30.401
835	<b>G100684</b>	270.00	20.00	42.412
836	<b>13431</b>	271.00	8.00	17.847
837	<b>13681</b>	275.00	5.00	11.451
838	<b>13435</b>	275.00	7.50	17.018
839	<b>13689</b>	279.40	15.88	35.496
840	<b>13856</b>	280.00	32.50	68.230
841	<b>13818</b>	280.00	45.00	89.700
842	<b>13634</b>	282.00	8.50	19.719
843	<b>13554</b>	290.00	5.00	12.087
844	<b>13834</b>	290.00	15.00	34.989
845	<b>G100680</b>	290.00	18.00	41.529

SL. No.	Section No.	ØA	B	Weight kg/m
846	<b>G100502</b>	296.00	8.00	19.543
847	<b>13812</b>	297.00	15.00	35.880
848	<b>S5729</b>	300.00	10.00	24.599
849	<b>13739</b>	300.00	12.70	30.949
850	<b>S6305</b>	300.00	30.00	68.707